Personnel Information



Agency or Site Information

## **Vermont Department of Health Laboratory**

195 Colchester Avenue, P.O. Box 1125, Burlington VT 05402-1125 DataMaster Technical Services (ph) 802-863-7641; (fax) 802-863-7632

## **DataMaster Site Evaluation Checklist**

Reference D-Alc 005 DataMaster Supervisor Manual

Name: Srandon P	Head of Site: Chief of Police
Address: 301 Forest Dale Rd.	Current DataMaster Supervisor (s):
Brandon, VT. 05733	F. Spaulding
Phone: 802-247-0222	Butterfield
	- Butter Field
Fax: 802-247-0221	Proposed DataMaster Supervisor(s):
	NA
Proposed DataMaster Environment	
Limited Controlled Access:  Y N	
Low Activity Area:	
Unlimited Access by Other Law Enforcement Personnel	Proposed DataMaster Connection(s)
Access by VDHL Technical Y N	Power:
Services Air Conditioned Y N	Min 15 Amp Y N
	Limited low power sharing: Y N
Room Temperature 65° - 85° F Y N	Phone Line Connection Number:
Adequate Ventilation Y N	,
Free of Cleaning Supplies Y N	Phone Line Connection Type
Clean	
Proposed DataMaster Site Maintenance Agreement	
Will notify VDHL Technical Services of maintenance and supply needs promptly:  (Y)  N	
Will notify VDHL Technical Services of changes in building conditions or moves promptly:	
Will notify VDHL Technical Services of relevant personnel changes at site promptly:	
VDHL Representative  Kirk L. Kimball xxx 12-1-11  Name  Date	
Agency Representative	